

water flat / along building  
(Agitated)

*[Handwritten signature]*

*[Handwritten signature]*

entrance  
no way

4 April 1987  
at about  
1830-6:30  
an activity  
apparently  
unrelated  
to the nature  
of this activity  
\* Where is the target site

1. No paper

890302

V: 25

S: 01

2. Localized Northwest

Area born of Chesapeake  
accident.

B. Remnants of the  
development of the Chesapeake  
gulf.

C. Central Area Below

D. Activity, selected  
barrier - crucial  
development  
of ~~warriors~~ out  
they gone

Situation underlying

→ Location  
+ City w/ water  
+ roads bond

⊕

(2)

- current as so needed  
development

- Security Issues +

Walls is significant because

Entrance way -

follows Center  
yellow & Rand.

- Registered here - need -  
a contribution

- Building -  
simple architecture

+ Mission 4  
receive telegram

- communication for  
forthright action

B Entrance is safe engineering  
- White on grey

(3)

Notes

Safehaus

MS

Male

MS

Monoscepto right or left  
 downstairs in building  
 underlying causes of  
 present personnel.

Panel

- peculiar - if

- recognize they emphasize  
 people and

the mold / the people -

- bureaucratic / government

- persuasive action more  
 resistance required -

4

necessary actions  
- rebel-related →

~~Rebel-miss-missiles~~  
~~mission-related~~ -

Piece has of alley Quantity

- developed produced  
and allowed for pursuit

- oversteps

MP

*[Handwritten signature]*